

PART I: CUSTOMER REQUIREMENTS

- Raw Material: River Stone
- Model: GF1245, PE600×900, S36"(STD), VSI5X7615, S5X2160-3, S5X1545-2
- Max. Feeding size : 500 mm
- Final sizes : 0-5-10-20-40mm
- Capacity: 120-150 tons per hour

PART II: SUMMARY PRICE LIST

ITEM	DESCRIPTION	Subtotal Price(USD)
1	<u>Total price for main machines</u>	<u>\$412,000</u>
2	<u>Freight & Insurance to Tashkent</u>	<u>\$54,000</u>
3	<u>Total CIP Tashkent price</u>	<u>\$466,000</u>

Note: The above goods including the free parts with CE certificate and follow ISO9001 standard;

Bearings(American Timken Brand);


Steel supplier: Chinese Bao Steel (www.baosteel.com).



No.	Item	Model	Power	Unit Price	Qty	Sum Price
			(kw)	(USD)	(Set)	(USD)
A1	Vibating Feeder	GF1245	2×7.5	13,640	1	13,640
A2	Jaw Crusher	PE600×900	75	29,216	1	29,216
A3	Cone Crusher	S36"(std)	75	155,559	1	155,559
A4	Vibating Screen	S5X2160-3	30	32,102	1	32,102
A5	Vibating Screen	S5X1545-2	11	18,082	1	18,082
A6	VSI	B-7615DR	75×2	48,597	1	48,597
A7	Vibating Feeder	SP0816	1.1×2	2,162	1	2,162
A8	Metal Separator	RCYD-6.5	1.5	2,543	1	2,543
A9	Spiral Sand Washing Machine	2XL915	11×2	26,658	1	26,658
1#	Belt Conveyors	B1000×(15+30)M	11+18.5	20,613	1	20,613
2#		B650×29M	11	8,075	1	8,075
3#		B650×23M	7.5	6,653	1	6,653
4#		B650×(12+22)M	5.5+7.5	10,473	1	10,473
5#		B650×16M	5.5	4,990	1	4,990
6#		B500×20M	5.5	5,334	2	10,668
7#		B500×25M	7.5	6,378	1	6,378
8#		B500×15M	5.5	4,290	1	4,290
C1	Hopper	LC4×4m	DIY	/	1	/
C2	Hopper	30m ³	DIY	/	1	/
D	Control System		472.2	11,304	1	11,304
Total price for main machines						412,000

Characteristic of material: River stone
 Input size: 0-500mm
 Output size: 0-5-10-20-40mm
 Capacity (1/h) : 120-150

mm	% pass
500	100
300	98
200	93
100	80
40	53
5	77




Technical Description:
 1. This flow chart is based on the customer's requirement. It is for reference. Actual output can change with the features of raw material, local operation and management conditions. The traffic is only for reference.
 2. Making corresponding adjustment in actual construction. As for the belt conveyor, please refer to the layout for actual model. Length in Meters.
 3. The mud content of raw material should be under 10%, higher mud content may cause great difference to the capacity, machines and process.
 4. Shot point itself and the distance should be in accordance with the relevant specification.
 5. This option is only for your reference.

- A-1 Feeder: GF1245
1 set
Power: 2x7.5kW
Load rate: 75%
- A-2 Jaw Crusher: PE600x900
1 set
Power: 75kW
CSS: 90mm
Load rate: 70%
- A-3 Cone Crusher: S36Std
1 set
CSS=32mm
Power: 75kW
Load rate: 85%
- A-4 Vibrating Screen: S5X760-3
1 set
Power: 30kW
First Deck: 40mm
Second Deck: 20mm
Third Deck: 5mm
Load rate: 75%
- A-5 Vibrating Screen: S5X765-2
1 set
Power: 11kW
First Deck: 10mm
Second Deck: 5mm
Load rate: 75%
- A-6 VSB-76SDR
1 set
Power: 75x2kW
Load rate: 80%
- A-7 Feeder: SP0816
1 set
Power: 2x11kW
- A-8 Metal Magnetic Separator: RCTD-65
1 set
Power: 15kW
- A-9 Spiral sand washer: 2XL95
1 set
Power: 11x2kW

Descriptions of Main Equipments

No.	Name	Model	Qty	Power (kW)	Remark
C-2	Hopper	30m³	1		
C-1	Hopper	LC64x4m	1		
A-9	Spiral sand washer	2XL95	1	11x2	
A-8	Metal Magnetic Separator	RCTD-65	1	15	
A-7	Feeder	SP0816	1	11x2	
A-6	VSB	B-76SDR	1	75x2	
A-5	Vibrating Screen	S5X765-2	1	11	
A-4	Vibrating Screen	S5X760-3	1	30	
A-3	Cone Crusher	S36Std	1	75	
A-2	Jaw Crusher	PE600X900	1	75	
A-1	Feeder	GF1245	1	2x7.5	

No.	Name	Model	Qty	Power (kW)	Remark
4H	Belt conveyor	B50x10m	1		
3H	Belt conveyor	B50x10-22m	1		
2H	Belt conveyor	B50x22m	1		
1H	Belt conveyor	B100x15-10m	1		
6H	Belt conveyor	B50x25m	1		
6H	Belt conveyor	B50x20m	2		
5H	Belt conveyor	B60x10m	1		
4H	Belt conveyor	B50x10-22m	1		
3H	Belt conveyor	B50x23	1		
2H	Belt conveyor	B50x20m	1		
1H	Belt conveyor	B100x15-10m	1		



ZENTH
MINING & CONSTRUCTION

上海百芝矿机工程机械有限公司
 Shanghai Zenth Mining and Construction Machinery Co., Ltd

River Stone Crushing Plant

Flow chart

此图表版权归上海百芝矿机工程机械有限公司所有, 未经许可不得复制或二次传播。

The intellectual property rights of this document belongs to Shanghai Zenth Mining and Construction Machinery Co., Ltd. Permission is not allowed to copy or disseminate without the prior written permission of Zenth.

编制人: 姜小华
 审核人: 姜小华
 日期: 2020.07.20

制图: 姜小华
 审核: 姜小华
 日期: 2020.07.20

物料名称: 河卵石
 规格: 0-500mm
 处理能力: 120-150t/h

设备名称: 破碎机
 规格: 破碎机
 数量: 1套